

Amendments to the Claims:

1. (Currently Amended) A system for ~~protecting content~~ comprising:
a ~~terminal capable of receiving an apparatus configured to receive content and storing~~
~~store the content in memory;~~
a first network entity ~~capable of operating configured to operate~~ a download manager,
wherein the download manager is ~~capable of adding configured to add~~ padding data to the
content received by the ~~terminal apparatus, wherein the padding data comprises a series of null~~
~~bit values, and~~ wherein the content and padding data form aggregate content having a size
greater than a size of the received content; and
a second network entity ~~capable of operating configured to operate~~ a file manager,
wherein the file manager is ~~capable of accessing configured to access~~ the aggregate content from
memory of the ~~terminal apparatus~~, and thereafter ~~extracting extract~~ the received content from the
aggregate content upon request for the received content.
2. (Currently Amended) A system according to Claim 1, wherein the ~~terminal~~
~~apparatus~~ is also ~~capable of operating configured to operate~~ at least one application ~~capable of~~
~~requesting configured to request~~ the received content, wherein the file manager of the second
network entity is ~~capable of receiving configured to receive~~ the request for the received content,
and thereafter ~~determining determine~~ if the request comprises a request for use of the received
content local to the ~~terminal apparatus~~, and wherein the file manager is ~~capable of extracting~~
~~configured to extract~~ the received content if the request comprises a request for use of the
received content local to the ~~terminal apparatus~~.
3. (Currently Amended) A system according to Claim 1, wherein the download
manager of the first network entity is also ~~capable of stamping configured to stamp~~ the content
with an identifier of the ~~terminal apparatus~~, wherein the file manager of the second network
entity is ~~capable of extracting configured to extract~~ the received content upon request for the
received content from an application at the ~~terminal apparatus~~, and wherein the file manager is

~~able of determining~~ configured to determine if the request is from an application at the ~~terminal apparatus~~ based upon the identifier stamped on the content.

4. (Currently Amended) A system according to Claim 1, wherein the ~~terminal apparatus~~ is also ~~able of operating~~ configured to operate at least one application capable of requesting the received content, wherein the file manager of the second network entity is ~~able of receiving~~ configured to receive the request for the received content, and thereafter ~~determining~~ determine if the request comprises a request for use of the received content to transfer to an authorized recipient, and wherein the file manager is ~~able of extracting~~ configured to extract the received content from the aggregate content if the request comprises a request for use of the received content to transfer to an authorized recipient.

5. (Currently Amended) A system according to Claim 4, wherein the download manager of the first network entity is also ~~able of stamping~~ configured to stamp the extracted content with an identifier of the recipient, and wherein the application of the ~~terminal apparatus~~ requesting the received content is ~~able of transferring~~ configured to transfer the stamped, extracted content to the recipient.

6. (Currently Amended) A system according to Claim 1, wherein the ~~terminal apparatus~~ comprises the first network entity and the second network entity.

7. (Currently Amended) A system of ~~protecting content~~ comprising:
a ~~terminal~~ able of receiving an apparatus configured to receive content and storing the content in memory;
a first network entity ~~able of operating~~ configured to operate a download manager, wherein the download manager is ~~able of modifying~~ configured to modify a file allocation table entry of content stored by the ~~terminal apparatus~~ to thereby increase a perceived size of the content; and

a second network entity ~~capable of operating configured to operate~~ a file manager, wherein the file manager is ~~capable of extracting configured to extract~~ the file allocation table entry of the received content from the modified file allocation table entry, and thereafter ~~assembling assemble~~ the received content from the file allocation table entry of the received content, and wherein the file manager is ~~capable of extracting configured to extract~~ the file allocation table entry and ~~assembling assemble~~ the content upon request for the received content.

8. (Currently Amended) A system according to Claim 7, wherein the ~~terminal apparatus~~ is also ~~capable of operating configured to operate~~ at least one application ~~capable of requesting configured to request~~ the received content, wherein the file manager of the second network entity is ~~capable of receiving configured to receive~~ the request for the received content, and thereafter ~~determining determine~~ if the request comprises a request for use of the received content local to the ~~terminal apparatus~~, and wherein the file manager is ~~capable of extracting configured to extract~~ the file allocation table entry and ~~assembling assemble~~ the received content if the request comprises a request for use of the received content local to the ~~terminal apparatus~~.

9. (Currently Amended) A system according to Claim 7, wherein the download manager of the first network entity is also ~~capable of stamping configured to stamp~~ the content with an identifier of the ~~terminal apparatus~~, wherein the file manager of the second network entity is ~~capable of extracting configured to extract~~ the file allocation table entry and ~~assembling assemble~~ the content upon request for the received content from an application at the ~~terminal apparatus~~, and wherein the file manager is ~~capable of determining configured to determine~~ if the request is from an application at the ~~terminal apparatus~~ based upon the identifier stamped on the content.

10. (Currently Amended) A system according to Claim 7, wherein the ~~terminal apparatus~~ is also ~~capable of operating configured to operate~~ at least one application ~~capable of requesting configured to request~~ the received content, wherein the file manager of the second network entity is ~~capable of receiving configured to receive~~ the request for the received content,

and thereafter ~~determining-determine~~ if the request comprises a request for use of the received content to transfer to an authorized recipient, and wherein the file manager is ~~capable-of~~ extracting-configured to extract the file allocation table entry and ~~assembling-assemble~~ the content if the request comprises a request for use of the received content to transfer to an authorized recipient.

11. (Currently Amended) A system according to Claim 10, wherein the download manager of the first network entity is also ~~capable-of-stamping-configured to stamp~~ the extracted content with an identifier of the recipient, and wherein the application of the ~~terminal-apparatus~~ requesting the received content is ~~capable-of-transferring-configured to transfer~~ the stamped, extracted content to the recipient.

12. (Currently Amended) A system according to Claim 7, wherein the ~~terminal apparatus~~ comprises the first network entity and the second network entity.

13. (Currently Amended) ~~A terminal for protecting content~~ An apparatus comprising: a ~~controller-capable-of-operating-processor configured to operate~~ a download manager and a file manager, wherein the download manager is ~~capable-of-adding-configured to add~~ padding data to content received at ~~a-terminal~~ the apparatus, wherein the padding data comprises a series of null bit values, and wherein the content and padding data form aggregate content having a size greater than a size of the received content; ~~and~~ a memory-capable-of-storing-the aggregate content, and wherein the file manager is ~~capable-of-accessing-configured to access~~ the aggregate content from memory of the ~~terminal apparatus~~, and thereafter ~~extracting-extract~~ the received content from the aggregate content upon request for the received content.

14. (Currently Amended) ~~A terminal~~ An apparatus according to Claim 13, wherein the ~~controller-processor~~ is also ~~capable-of-operating-configured to operate~~ at least one application ~~capable-of-requesting-configured to request~~ the received content, wherein the file manager is

~~capable of receiving~~ configured to receive the request for the received content, and thereafter determining ~~determine~~ if the request comprises a request for use of the received content local to the terminal apparatus, and wherein the file manager is ~~capable of extracting~~ configured to extract the received content if the request comprises a request for use of the received content local to the terminal apparatus.

15. (Currently Amended) ~~A terminal~~ An apparatus according to Claim ~~13~~ 14, wherein the download manager is also ~~capable of stamping~~ configured to stamp the content with an identifier of the terminal apparatus, wherein the file manager is ~~capable of extracting~~ configured to extract the received content upon request for the received content from an application at the terminal apparatus, and wherein the file manager is ~~capable of determining~~ configured to determine if the request is from an application at the terminal apparatus based upon the identifier stamped on the content.

16. (Currently Amended) ~~A terminal~~ An apparatus according to Claim 13, wherein the controller ~~processor~~ is also ~~capable of operating~~ configured to operate at least one application ~~capable of requesting~~ configured to request the received content, wherein the file manager is ~~capable of receiving~~ configured to receive the request for the received content, and thereafter determining ~~determine~~ if the request comprises a request for use of the received content to transfer to an authorized recipient, and wherein the file manager is ~~capable of extracting~~ configured to extract the received content from the aggregate content if the request comprises a request for use of the received content to transfer to an authorized recipient.

17. (Currently Amended) ~~A terminal~~ An apparatus according to Claim 16, wherein the download manager is also ~~capable of stamping~~ configured to stamp the extracted content with an identifier of the recipient, and

wherein the application requesting the received content is ~~capable of transferring~~ configured to transfer the stamped, extracted content to the recipient.

18. (Currently Amended) ~~A terminal of protecting content~~ An apparatus comprising:
a controller ~~capable of operating processor configured to operate~~ a download manager
and a file manager, wherein the download manager is ~~capable of modifying~~ configured to modify
a file allocation table entry of content received at ~~a terminal~~ the apparatus to thereby increase a
perceived size of the content; and
a memory ~~capable of storing the content and file allocation table entry,~~
wherein the file manager is ~~capable of extracting~~ configured to extract the file allocation
table entry of the received content from the modified file allocation table entry, and thereafter
~~assembling~~ assemble the received content from the file allocation table entry of the received
content, and wherein the file manager is ~~capable of extracting~~ configured to extract the file
allocation table entry and ~~assembling~~ assemble the content upon request for the received content.

19. (Currently Amended) ~~A terminal~~ An apparatus according to Claim 18, wherein
the controller ~~processor~~ is also ~~capable of operating~~ configured to operate at least one application
~~capable of requesting~~ configured to request the received content, wherein the file manager is
~~capable of receiving~~ configured to receive the request for the received content, and thereafter
~~determining~~ determine if the request comprises a request for use of the received content local to
the ~~terminal~~ apparatus, and wherein the file manager is ~~capable of extracting~~ configured to
extract the file allocation table entry and ~~assembling~~ assemble the received content if the request
comprises a request for use of the received content local to the ~~terminal~~ apparatus.

20. (Currently Amended) ~~A terminal~~ An apparatus according to Claim ~~18~~ 19,
wherein the download manager is also ~~capable of stamping~~ configured to stamp the content with
an identifier of the ~~terminal~~ apparatus, wherein the file manager is ~~capable of extracting~~
configured to extract the file allocation table entry and ~~assembling~~ assemble the content upon
request for the received content from an application at the ~~terminal~~ apparatus, and wherein the
file manager is ~~capable of determining~~ configured to determine if the request is from an
application at the ~~terminal~~ apparatus based upon the identifier stamped on the content.

21. (Currently Amended) ~~A terminal~~ An apparatus according to Claim 18, wherein the controller ~~processor~~ is also ~~eapable of operating~~ configured to operate at least one application ~~eapable of requesting~~ configured to request the received content, wherein the file manager is ~~eapable of receiving~~ configured to receive the request for the received content, and thereafter ~~determining~~ determine if the request comprises a request for use of the received content to transfer to an authorized recipient, and wherein the file manager is ~~eapable of extracting~~ configured to extract the file allocation table entry and ~~assembling~~ assemble the content if the request comprises a request for use of the received content to transfer to an authorized recipient.

22. (Currently Amended) ~~A terminal~~ An apparatus according to Claim 21, wherein the download manager is also ~~eapable of stamping~~ configured to stamp the extracted content with an identifier of the recipient, and wherein the application requesting the received content is ~~eapable of transferring~~ configured to transfer the stamped, extracted content to the recipient.

23. (Currently Amended) A method ~~of protecting content~~ comprising:
adding padding data to content received at ~~a terminal~~ an apparatus, wherein the padding data comprises a series of null bit values, and wherein the content and padding data form aggregate content having a size greater than a size of the received content;
storing the aggregate content in memory of the ~~terminal~~ apparatus;
accessing the aggregate content from memory of the ~~terminal~~ apparatus; and
extracting the received content from the aggregate content upon request for the received content.

24. (Currently Amended) A method according to Claim 23 further comprising:
receiving a request for the received content; and
determining if the request comprises a request for use of the received content local to the terminal apparatus,
wherein extracting the received content comprises extracting the received content if the request comprises a request for use of the received content local to the terminal apparatus.

25. (Currently Amended) A method according to Claim 23-24 further comprising:
stamping the content with an identifier of the terminal apparatus including memory
storing the content,
wherein extracting the received content comprises extracting the received content upon
request for the received content at from the terminal apparatus including memory storing the
content, and wherein the request for the received content at being from the terminal including
memory storing the content ~~can be determined~~ is determinable based upon the identifier stamped
on the content.

26. (Original) A method according to Claim 23 further comprising:
receiving a request for the received content; and
determining if the request comprises a request for use of the received content to transfer
to an authorized recipient,
wherein extracting the received content comprises extracting the received content from
the aggregate content if the request comprises a request for use of the received content to transfer
to an authorized recipient.

27. (Original) A method according to Claim 26 further comprising:
stamping the extracted content with an identifier of the recipient; and
transferring the stamped, extracted content to the recipient.

28. (Currently Amended) A method ~~of protecting content~~ comprising:
modifying a file allocation table entry of content received at a ~~terminal~~ an apparatus to
thereby increase a perceived size of the content;
storing the content and file allocation table entry in memory of the ~~terminal~~ apparatus;
extracting the file allocation table entry of the received content from the modified file
allocation table entry; and

assembling the received content from the file allocation table entry of the received content, wherein extracting the file allocation table entry and assembling the content occur upon request for the received content.

29. (Currently Amended) A method according to Claim 28 further comprising:
receiving a request for the received content; and
determining if the request comprises a request for use of the received content local to the terminal apparatus,

wherein extracting the file allocation table entry and assembling the received content comprise extracting the file allocation table entry and assembling the received content if the request comprises a request for use of the received content local to the terminal apparatus.

30. (Currently Amended) A method according to Claim ~~28-29~~ further comprising:
stamping the content with an identifier of the terminal apparatus including memory storing the content,

wherein extracting the file allocation table entry and assembling the content comprise wherein extracting the file allocation table entry and assembling the content upon request for the received content at from the terminal apparatus including memory storing the content, and wherein the request for the received content at being from the terminal apparatus including memory storing the content can be determined is determinable based upon the identifier stamped on the content.

31. (Original) A method according to Claim 28 further comprising:
receiving a request for the received content; and
determining if the request comprises a request for use of the received content to transfer to an authorized recipient,

wherein extracting the file allocation table entry and assembling the content comprise extracting the file allocation table entry and assembling the content if the request comprises a request for use of the received content to transfer to an authorized recipient.

32. (Original) A method according to Claim 31 further comprising:
stamping the assembled content with an identifier of the recipient; and
transferring the stamped, assembled content to the recipient.

33. (Currently Amended) A computer program product ~~for protecting content, the~~
~~computer program product comprising a computer-readable storage medium having computer-~~
~~readable program code portions stored therein, the computer-readable program code portions~~
comprising:

a first executable portion for adding padding data to content received at ~~a terminal an~~
apparatus, wherein the padding data comprises a series of null bit values, and wherein the
content and padding data form aggregate content having a size greater than a size of the received
content;

a second executable portion for storing the aggregate content in memory of the ~~terminal~~
apparatus;

a third executable portion for accessing the aggregate content from memory of the
~~terminal apparatus~~; and

a fourth executable portion for extracting the received content from the aggregate content
upon request for the received content.

34. (Currently Amended) A computer program product according to Claim 33,
wherein the computer-readable program code portions further comprising comprise:

a fifth executable portion for receiving a request for the received content; and

a sixth executable portion for determining if the request comprises a request for use of the
received content local to the ~~terminal apparatus~~,

wherein the fourth executable portion is adapted to extract the received content if the
request comprises a request for use of the received content local to the ~~terminal apparatus~~.

35. (Currently Amended) A computer program product according to Claim 33,
wherein the computer-readable program code portions further-comprising comprise:

a fifth executable portion for stamping the content with an identifier of the terminal
apparatus including memory storing the content,

wherein the fourth executable portion is adapted to extract the received content upon
request for the received content at-from the terminal-apparatus including memory storing the
content, and wherein the request for the received content at-being from the terminal-apparatus
including memory storing the content can-be-determined-is determinable based upon the
identifier stamped on the content.

36. (Currently Amended) A computer program product according to Claim 33,
wherein the computer-readable program code portions further-comprising comprise:

a fifth executable portion for receiving a request for the received content; and

a sixth executable portion for determining if the request comprises a request for use of the
received content to transfer to an authorized recipient,

wherein the fourth executable portion is adapted to extract the received content from the
aggregate content if the request comprises a request for use of the received content to transfer to
an authorized recipient.

37. (Currently Amended) A computer program product according to Claim 36,
wherein the computer-readable program code portions further-comprising comprise:

a seventh executable portion for stamping the extracted content with an identifier of the
recipient; and

an eighth executable portion for transferring the stamped, extracted content to the
recipient.

38. (Currently Amended) A computer program product of-protecting-content
comprising a computer-readable storage medium having computer-readable program code
portions stored therein, the computer-readable program code portions comprising:

a first executable portion for modifying a file allocation table entry of content received at an terminal apparatus to thereby increase a perceived size of the content;

a second executable portion for storing the content and file allocation table entry in memory of the terminal apparatus;

a third executable portion for extracting the file allocation table entry of the received content from the modified file allocation table entry; and

a fourth executable portion for assembling the received content from the file allocation table entry of the received content, wherein extracting the file allocation table entry and assembling the content occur upon request for the received content.

39. (Currently Amended) A computer program product according to Claim 38, wherein the computer-readable program code portions further comprising comprise:

a fifth executable portion for receiving a request for the received content; and

a sixth executable portion for determining if the request comprises a request for use of the received content local to the terminal apparatus,

wherein the third and fourth executable portions are adapted to extract the file allocation table entry and assemble the received content, respectively, if the request comprises a request for use of the received content local to the terminal apparatus.

40. (Currently Amended) A computer program product according to Claim 38, wherein the computer-readable program code portions further comprising comprise:

a fifth executable portion for stamping the content with an identifier of the terminal apparatus including memory storing the content,

wherein the third and fourth executable portions are adapted to extract the file allocation table entry and assemble the received content, respectively, upon request for the received content at from the terminal apparatus including memory storing the content, and wherein the request for the received content at being from the terminal apparatus including memory storing the content can be determined is determinable based upon the identifier stamped on the content.

41. (Currently Amended) A computer program product according to Claim 38,
wherein the computer-readable program code portions further comprising comprise:
a fifth executable portion for receiving a request for the received content; and
a sixth executable portion for determining if the request comprises a request for use of the
received content to transfer to an authorized recipient,
wherein the third and fourth executable portions are adapted to extract the file allocation
table entry and assemble the received content, respectively, if the request comprises a request for
use of the received content to transfer to an authorized recipient.

42. (Currently Amended) A computer program product according to Claim 41,
wherein the computer-readable program code portions further comprising comprise:
a seventh executable portion for stamping the assembled content with an identifier of the
recipient; and
an eighth executable portion for transferring the stamped, assembled content to the
recipient.

43. (New) A system according to Claim 7, wherein the download manager is
configured to modify the file allocation table entry to thereby increase the perceived size of the
content without increasing an actual size of the content.

44. (New) An apparatus according to Claim 18, wherein the download manager is
configured to modify the file allocation table entry to thereby increase the perceived size of the
content without increasing an actual size of the content.

45. (New) A method according to Claim 28, wherein modifying the file allocation
table entry comprises modifying the file allocation table entry to thereby increase the perceived
size of the content without increasing an actual size of the content.

Application No.: 10/701,087
Amendment Dated April 16, 2008
Reply to Official Action of January 17, 2008

46. (New) A computer program product according to Claim 38, wherein the first executable portion is configured to modify the file allocation table entry to thereby increase the perceived size of the content without increasing an actual size of the content.